

ISSN 2518-1629 (Online),
ISSN 2224-5308 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Өсімдіктердің биологиясы және биотехнологиясы институтының

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Института биологии и биотехнологии растений

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
of the Institute of Plant Biology and Biotechnology

БИОЛОГИЯ ЖӘНЕ МЕДИЦИНА
СЕРИЯСЫ



СЕРИЯ

БИОЛОГИЧЕСКАЯ И МЕДИЦИНСКАЯ



SERIES

OF BIOLOGICAL AND MEDICAL

2 (326)

НАУРЫЗ – СӘУІР 2018 ж.

МАРТ – АПРЕЛЬ 2018 г.

MARCH – APRIL 2018

1963 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН
ИЗДАЕТСЯ С ЯНВАРЯ 1963 ГОДА
PUBLISHED SINCE JANUARY 1963

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰҒА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

Б а с р е д а к т о р

ҚР ҰҒА академигі, м. ғ. д., проф. **Ж. А. Арзықұлов**

Абжанов Архат проф. (Бостон, АҚШ),
Абелев С.К., проф. (Мәскеу, Ресей),
Айтқожина Н.А., проф., академик (Қазақстан)
Акшулаков С.К., проф., академик (Қазақстан)
Алшынбаев М.К., проф., академик (Қазақстан)
Бәтпенев Н.Д., проф., корр.-мүшесі (Қазақстан)
Березин В.Э., проф., корр.-мүшесі (Қазақстан)
Берсімбаев Р.И., проф., академик (Қазақстан)
Беркінбаев С.Ф., проф., (Қазақстан)
Бисенбаев А.К., проф., академик (Қазақстан)
Бишимбаева Н.Қ., проф., академик (Қазақстан)
Ботабекова Т.К., проф., корр.-мүшесі (Қазақстан)
Bosch Ernesto prof. (Spain)
Жансүгірова Л.Б., б.ғ.к., проф. (Қазақстан)
Ellenbogen Adrian prof. (Tel-Aviv, Israel),
Жамбакин Қ.Ж., проф., академик (Қазақстан), бас ред. орынбасары
Заядан Б.К., проф., корр.-мүшесі (Қазақстан)
Ishchenko Alexander prof. (Villejuif, France)
Исаева Р.Б., проф., (Қазақстан)
Қайдарова Д.Р., проф., академик (Қазақстан)
Кохметова А.М., проф., корр.-мүшесі (Қазақстан)
Күзденбаева Р.С., проф., академик (Қазақстан)
Локшин В.Н., проф., корр.-мүшесі (Қазақстан)
Лось Д.А., prof. (Мәскеу, Ресей)
Lunenfeld Bruno prof. (Израиль)
Макашев Е.К., проф., корр.-мүшесі (Қазақстан)
Муминов Т.А., проф., академик (Қазақстан)
Огарь Н.П., проф., корр.-мүшесі (Қазақстан)
Омаров Р.Т., б.ғ.к., проф., (Қазақстан)
Продеус А.П. проф. (Ресей)
Purton Saul prof. (London, UK)
Рахыпбеков Т.К., проф., корр.-мүшесі (Қазақстан)
Сапарбаев Мұрат проф. (Париж, Франция)
Сарбасов Дос проф. (Хьюстон, АҚШ)
Тұрысбеков Е.К., б.ғ.к., асс.проф. (Қазақстан)
Шарманов А.Т., проф. (АҚШ)

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz/biological-medical.kz

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

академик НАН РК, д.м.н., проф. **Ж. А. Арзыкулов**

Абжанов Архат проф. (Бостон, США),
Абелев С.К. проф. (Москва, Россия),
Айтхожина Н.А. проф., академик (Казахстан)
Акшулаков С.К. проф., академик (Казахстан)
Алчинбаев М.К. проф., академик (Казахстан)
Батпенов Н.Д. проф. член-корр.НАН РК (Казахстан)
Березин В.Э., проф., чл.-корр. (Казахстан)
Берсимбаев Р.И., проф., академик (Казахстан)
Беркинбаев С.Ф. проф. (Казахстан)
Бисенбаев А.К. проф., академик (Казахстан)
Бишимбаева Н.К. проф., академик (Казахстан)
Ботабекова Т.К. проф., чл.-корр. (Казахстан)
Bosch Ernesto prof. (Spain)
Джансугурова Л. Б. к.б.н., проф. (Казахстан)
Ellenbogen Adrian prof. (Tel-Aviv, Israel),
Жамбакин К.Ж. проф., академик (Казахстан), зам. гл. ред.
Заядан Б.К. проф., чл.-корр. (Казахстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б. проф. (Казахстан)
Кайдарова Д.Р. проф., академик (Казахстан)
Кохметова А.М. проф., чл.-корр. (Казахстан)
Кузденбаева Р.С. проф., академик (Казахстан)
Локшин В.Н., проф., чл.-корр. (Казахстан)
Лось Д.А. prof. (Москва, Россия)
Lunenfeld Bruno prof. (Израиль)
Макашев Е.К. проф., чл.-корр. (Казахстан)
Муминов Т.А. проф., академик (Казахстан)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Омаров Р.Т. к.б.н., проф. (Казахстан)
Продеус А.П. проф. (Россия)
Purton Saul prof. (London, UK)
Рахыпбеков Т.К. проф., чл.-корр. (Казахстан)
Сапарбаев Мурат проф. (Париж, Франция)
Сарбасов Дос проф. (Хьюстон, США)
Турьсыбеков Е. К., к.б.н., асс.проф. (Казахстан)
Шарманов А.Т. проф. (США)

«Известия НАН РК. Серия биологическая и медицинская».

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов
Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
www.nauka-nanrk.kz / biological-medical.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief

Zh.A. Arzykulov, academician of NAS RK, Dr. med., prof.

Abzhanov Arkhat, prof. (Boston, USA),
Abelev S.K., prof. (Moscow, Russia),
Aitkhozhina N.A., prof., academician (Kazakhstan)
Akshulakov S.K., prof., academician (Kazakhstan)
Alchinbayev M.K., prof., academician (Kazakhstan)
Batpenov N.D., prof., corr. member (Kazakhstan)
Berezin V.Ye., prof., corr. member. (Kazakhstan)
Bersimbayev R.I., prof., academician (Kazakhstan)
Berkinbaev S.F., prof. (Kazakhstan)
Bisenbayev A.K., prof., academician (Kazakhstan)
Bishimbayeva N.K., prof., academician (Kazakhstan)
Botabekova T.K., prof., corr. member. (Kazakhstan)
Bosch Ernesto, prof. (Spain)
Dzhansugurova L.B., Cand. biol., prof. (Kazakhstan)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Zhambakin K.Zh., prof., academician (Kazakhstan), deputy editor-in-chief
Ishchenko Alexander, prof. (Villejuif, France)
Isayeva R.B., prof. (Kazakhstan)
Kaydarova D.R., prof., academician (Kazakhstan)
Kokhmetova A., prof., corr. member (Kazakhstan)
Kuzdenbayeva R.S., prof., academician (Kazakhstan)
Lokshin V.N., prof., corr. member (Kazakhstan)
Los D.A., prof. (Moscow, Russia)
Lunenfeld Bruno, prof. (Israel)
Makashev E.K., prof., corr. member (Kazakhstan)
Muminov T.A., prof., academician (Kazakhstan)
Ogar N.P., prof., corr. member (Kazakhstan)
Omarov R.T., Cand. biol., prof. (Kazakhstan)
Prodeus A.P., prof. (Russia)
Purton Saul, prof. (London, UK)
Rakhypbekov T.K., prof., corr. member. (Kazakhstan)
Saparbayev Murat, prof. (Paris, France)
Sarbassov Dos, prof. (Houston, USA)
Turysbekov E.K., cand. biol., assoc. prof. (Kazakhstan)
Sharmanov A.T., prof. (USA)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine.

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5546-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/> / biological-medical.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF BIOLOGICAL AND MEDICAL

ISSN 2224-5308

Volume 2, Number 326 (2018), 69 – 73

UDC 616.314.17-008.1-02: 616

Nalin Wongkattiya¹, G. O. Nurtiluova^{1,2}, B. B. Tusupova²¹Maejo University, Chang-Mai, Thailand,²Al-Farabi Kazakh National University, Almaty, Kazakhstan.

E-mail: nalin.wongkattiya@gmail.com, gul_28@mail.ru, baimuratovna78@mail.ru

**ANTI-BACTERIAL PROPERTY OF THE ESSENTIAL OILS
OF CLOVE AND PRONG FA AGAINST *STREPTOCOCCUS MUTANS*
AND *STREPTOCOCCUS SOBRINUS***

Abstracts. In the article there are shown the antibacterial activity of two plants against bacteria causing oral problems, and the minimum concentration of exposure to these plants has been identified. On the disk diffusion test the clove oil was received by traditional method, showed the highest anti-bacterial activity against to bacteria *streptococcus mutans* and *streptococcus sobrinus*, the average zone of growth inhibition is respectively 16.78 and 16.68 mm, also the MIC value of the essential oil that can inhibit the growth of both bacteria is 2µg/ml. However, in the MBC, the result indicates that the clove oil is more effective against *S. mutans*.

Keywords: essential oil of clove, essential oil of prong fa, disk diffusion assay, minimum inhibitory concentration, minimum bactericidal concentration, streptococcus mutans, streptococcus sobrinus, anti-bacterial property.

Introduction. Oral diseases ranging from cavities to cancer are all serious threats to every people's oral health. The oral health is an important part of the overall health because there may be a link between oral disease and other health problems such as diabetes, heart disease and stroke as well as pre-term and low-birth-weight babies. The oral cavity is very convenient place for plenty of bacteria forming various associations in the mouth thereby residing more than 700 dissimilar species (Metwalli et al., 2013). The following bacteria are the most dominant form existing in the human oral cavity: *S. sanguis*, *S. mitis*, *S. mutans*, *S. salivarius*, *L. acidophilus*, *L. salivarius*, *L. casei*, *Staphylococcus spp*, *Eubacterium spp*, *Neisseria spp*, *Actinomyces spp*, *Peptostreptococcus spp*, *Micrococcus spp*, etc. One of the largest associations in the oral cavity is streptococci (Bhatia and Ichhpujani, 2003). *S. mutans* and *sobrinus* are the most prevailing species, high in rank than other streptococci. *S. sobrinus*, *S. mutans* plays a major role in tooth decay, metabolizing sucrose to lactic acid, it causes the highly mineralized tooth enamel to be vulnerable to decay. Oral health problems like dental caries caused by these bacteria are very common with children, early childhood caries is a source of pain and impaired quality of life, and for some it results in serious infection, hospitalization, and even fatality (Casamassimo, et al., 2009). Also, the disease may become refractory and irreversible for simple preventing methods of removing biofilms, like tooth brushing. Thus, ways on how to prevent or kill this type of bacteria is very relevant.

Since the use of synthetic chemicals is perceived to have a possible effect and may raise health concerns, microbial resistance, and environmental problems, extracts and essential oils of plants have been widely used and tested nowadays for their antimicrobial activity against different pathogens. Essential oils are complex mixtures of low molecular weight (usually less than 500 Daltons) compounds extracted by steam distillation, hydro distillation or solvent extraction (Nakatsu et al., 2000). EOs may constitute 20–100 different plant secondary metabolites belonging to a variety of chemical classes (Carson and Hammer, 2011). Most of the time the bioactivities of a particular EO is decided by either one of its main components (Bakkali, et al., 2008). Naturally, their activity depends on the type, composition and concentration of the spice or the essential oils, the type and concentration of the target microorganism, the

composition of the substrate, the processing and the storage conditions (Skandamis and Nychas., 2000). Researchers from all over the world are trying to characterize a range of biological properties of EOs which includes antimicrobial, antiviral, antimutagenic, anticancer, antioxidant, anti-inflammatory, immunomodulatory, and antiprotozoal activities (Bakkali *et al.*, 2008).

In this study, the essential oil of two Thai herbs, Clove (*Syzygium aromaticum*) from the plant family Myrtaceae and Prong fa (*Murraya siamensis*) from the plant family Rutaceae, will be tested for its anti-bacterial activity against two oral disease causing bacteria *Streptococcus mutans* and *Streptococcus sobrinus*.

Materials and methods. *Plant extraction procedure.* Essential oils from two Thai herbs, Clove (*Syzygium aromaticum*) and Prong fa (*Murraya siamensis*) were used. One hundred grams of dried and ground clove buds in 500 ml flask was submitted to hydrodistillation for 4-6 hours and steam distillation for 8-10 hours.

The volatile distillate was collected until no oil drop out. The distillate was saturated with sodium chloride and added with ether. Then, the ether layer and hydro layer were separated by funnel. After dehydrated by anhydrous sodium sulphate, the ether was further heated in 60°C water bath to make oil to be concentrated and the ether to be recovered. The collected oil was refrigerated after the prior to use.

Microorganisms used. The used microorganisms were two oral disease causing, gram positive bacteria, *Streptococcus mutans* (DMST 48777) and *Streptococcus sobrinus* (DMST 35719). The bacterial cultures were obtained from the Department of Medical Sciences Thailand, Nontaburee, Thailand.

Disk diffusion assay. A bacterial suspension was prepared in NaCl from an overnight-grown culture of the bacterial strains. These bacterial suspensions were adjusted to the 0.5 McFarland standard. A sterile swab was immersed to the bacterial suspension and was used to spread in the Mueller-Hinton Agar with blood (5 % of MHB) medium. Each plate was divided into four sections. 10 µl of each essential oil (diluting of EO 500 µg per 100 ml of tween 20-20%) was applied to the sterile 6 mm paper discs and was aseptically placed in the medium which was previously swabbed with bacteria. Erythromycin (15 µl) was used as the positive control and tween 20 (10 µl) for the negative control. After 24 hours of incubation in an anaerobic condition at 37°C, the zone of inhibition was measured in mm. All experimental set-ups were carried out in triplicate.

Determination of minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC). The bacterial strains were isolated into broth medium (MHB) with lysed blood (5% of MHB) and was incubated in an anaerobic condition for 24 hours at 37°C. A series of two fold dilution of each oil. Triplicate serial dilutions with broth for each essential oil was prepared in two cell culture plates. Fifty microliters of the test organisms with the concentration of 10⁶ cells per ml was then inoculated in each of the broth dilution. After overnight incubation of the cell culture plates, MBC was carried out by 1 µl

Zone of growth inhibition for essential oils on two bacterial strains

Essential oil	Bacteria	Diameter of Zone of Inhibition, mm	Average diameter of zone of inhibition, mm	Anti-bacterial activity
Clove oil	Streptococcus mutans	16.30	16.78	Intermediate
		16.90		
		17.15		
	Streptococcus sobrinus	16.75	16.68	
		16.05		
		17.25		
Prong fa oil	Streptococcus mutans	0	0	Not effective
		0		
		0		
	Streptococcus sobrinus	0	0	
		0		
		0		





Figure 1 – Minimum Inhibitory Concentration (left) *Streptococcus sobrinus*; (right) *Streptococcus mutans*

Note: Rows A, B, C were the Clove oil; D, E, F were the Prong fa oil; and row G was the tween 20.



a. *Streptococcus sobrinus*



b. *Streptococcus mutans*

Figure 2 – Minimum bactericidal concentration (a) *Streptococcus sobrinus*; (b) *Streptococcus mutans*

sub culturing in agar plates (MHA) each of the well of the cell culture plates. The plates were then incubated in appropriate condition for 24 hours, while the cell culture plates were added with 50 μ l of 0.2 mg/ml Iodonitrotetrazolium chloride (INT) and stayed for 30 minutes to see the coloration of the cells with bacterial growth. After the incubation of the cell culture in MHA, the result of the MBC was obtained through optical observation.

Results. In the two essential oils, the clove was found to have an antibacterial property against the two bacterial strains, while the prong fa was ineffective.

On the disk diffusion test the clove oil showed intermediate anti-bacterial property against both bacteria, 10 μ l of essential oil dissolved with tween 20 can effect to the growth of bacteria.

The results of MIC and MBC are shown in Figure 1 and 2 respectively. Only the clove oil showed antibacterial activity on *S. mutans* and *S. sobrinus*. The MIC value of the essential oil that can inhibit the growth of both bacteria is 2 μ g/ml.

However, in the MBC, the result indicates that the clove oil is more effective against *S. mutans* than *S. sobrinus* because the former only has spots of bacterial growth on one of its least concentration while the latter has bacteria in the last two concentrations for all the replicates.

Discussion. The oral microorganisms present in dental biofilm are considered to be crucial for the initiation and progression of caries. It is known that the frequent consumption of carbohydrates, mainly sucrose, can result in the appearance of cariogenic microorganisms, such as *mutans* and *sobrinus* streptococci (Hamada *et al.*, 1984). The ability of *mutans* streptococci to produce extracellular polysaccharides, mainly glucans, has been described as a critical factor in the pathogenesis of dental caries and plaque formation and accumulation (Loesche, 1986). In this case, *S. mutans* and *S. sobrinus* should be a prime target for any therapeutic agent aimed at preventing dental caries. Therefore, the antibacterial activity of clove oils against these bacteria could play an important role in preventing the formation of dental plaque and caries.

Conclusion. Clove oil was found to have important antimicrobial activity against the two oral disease causing bacteria. In this regard, the use of clove as an addition to dental products are valuable to decrease the build-up of dental plaque and caries. It could also be a possible substitute with chemical and synthetic antimicrobial agents.

REFERENCES

- [1] Metwalli K.H., Khan S.A., Krom B.P., Jabra Rizk M.A. (2013) Streptococcus mutans, Candida albicans, and the Human Mouth: A Sticky Situation. PLOS Pathogens 9(10):1-4.
- [2] Bhatia R., Ichhpujani R.L. (2003). Microbiology for Dental Students. 3rd ed. Jaypee Brothers.
- [3] Casamassimo P.S., Thikkurissy S., Edelstein B.L., Maiorini E. (2009). Beyond the dmft: the human and economic cost of early childhood caries. J Am Dent Assoc 140: 650-657.
- [4] Nakatsu T., Lupo A.T., Chinn J.W., Kang R. K. L. (2000). Biological activity of essential oils and their constituents. Stud Nat Prod Chem 21, 571-631.
- [5] Carson C.F., Hammer, K.A. (2011). Chemistry and bioactivity of essential oils. In: Thormar, H. (Ed.). Lipids and Essential Oils as Antimicrobial Agents. John Wiley & Sons, UK, pp 203-238.
- [6] Bakkali F., Averbeck S., Averbeck D., Idaomar M. (2008). Biological effects of essential oils – a review. Food Chem. Toxicol. 46, 446-475.
- [7] Skandamis P.N., Nychas G.J.E. (2000). Development and evaluation of a model predicting the survival of Escherichia coli O157:H7 NCTC 12900 in homemade eggplant salad at various temperatures, pHs, and oregano essential oil concentrations. Appl. Environ. Microbiol. 66, 1646-1653.
- [8] Jing-Shu Xu, Yao Li, Xue Cao, Yun Cui, Experimental and therepapeutic medicine, 2013 Jun; 5(6): 1667–1670.
- [9] Hamada S., Koga T., Ooshima T. (1984). Virulence factors of Streptococcus mutans and dental caries prevention. J Dent Res 63: 407-411.
- [10] Loesche W.J. Role of Streptococcus mutans in human dental decay. Microbiol Rev 50: 353-380, 1986.

Nalin Wongkattiya¹, Г. О. Нуртилеуова^{1,2}, Б. Б. Тюсюпова²

¹Маеҗо университеті, Чианг-Май, Таиланд,

²әл-Фараби атындағы Қазақ ұлттық университеті, Алматы, Қазақстан

ҚАЛАМПЫР МЕН PRONG FA ТАБИҒИ МАЙЛАРЫНЫҢ *STREPTOCOCCUS MUTANS* ЖӘНЕ *STREPTOCOCCUS SOBRINUS* МИКРОАҒЗАЛАРЫНА ҚАРСЫ АНТИБАКТЕРИАЛДЫҚ ҚАСИЕТІ

Аннотация. Мақалада қалампыр мен prong fa өсімдіктерінің ауыз қуысының мәселелерін туғызатын бактерияларға қарсы белсенділігі қарастырылып, минималды әсер ету концентрациясы анықталды. Дисперсионды талдау кезінде, қалампыр және prong fa өсімдіктерінен дәстүрлі жолмен алынған табиғи майлардың ішінде, *streptococcus mutans* және *streptococcus sobrinus* микроағзаларына қарсы жоғары белсенділікті қалампыр табиғи майы көрсетті. Әсер ету аумағы орташа есеппен сәйкесінше 16.78 және 16.68 мм тең, ал екі бактерия үшін минималды ингибирулеу концентрациясы 2 мг/мл мәнге ие, сонымен қатар минималды бактерицидті концентрациясын анықтау барысында, қалампыр табиғи майының *Str.mutans* микроағзасына әсері жоғары екені байқалды.

Түйін сөздер: қалампыр табиғи майы, prong fa табиғи майы, дисперсионды талдау, минималды концентрация, минималды бактерицидті концентрация, *streptococcus mutans*, *streptococcus sobrinus*, антибактериалдық қасиет.

Nalin Wongkattiya¹, Г. О. Нуртилеуова^{1,2}, Б. Б. Тюсюпова²

¹Университет Маеҗо, Чианг-Май, Таиланд,

²Казахский национальный университет им. аль-Фараби, Алматы, Казахстан

АНТИБАКТЕРИАЛЬНЫЕ СВОЙСТВА ЭФИРНЫХ МАСЕЛ ГВОЗДИКИ И PRONG FA ПРОТИВ *STREPTOCOCCUS MUTANS* И *STREPTOCOCCUS SOBRINUS*

Аннотация. В статье показана антибактериальная активность двух растений против бактерий, вызывающих оральные проблемы, а также была выявлена минимальная концентрация воздействий этих растений. При дисперсионном анализе, среди полученных традиционным способом, эфирное масло гвоздики и prong fa, высокую активность против штаммов *streptococcus mutans* и *streptococcus sobrinus* показало эфирное масло гвоздики. Средний масштаб воздействия, соответственно, равна 16.78 и 16.68 мм, а минимальная ингибирующая концентрация для двух бактерий является 2 мг/мл. Однако анализ минимальной бактерицидной концентрации показывает, что гвоздичное масло более эффективно против *S. mutans*.

Ключевые слова: эфирное масло гвоздики, эфирное масло prong fa, дисперсионный анализ, минимальная ингибирующая концентрация, минимальная бактерицидная концентрация, *streptococcus mutans*, *streptococcus sobrinus*, антибактериальное свойство.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www.nauka-nanrk.kz

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

<http://www.biological-medical.kz/index.php/ru/>

Редактор *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 26.03.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
9,4 п.л. Тираж 300. Заказ 2.