

ISSN 2518-1629 (Online),
ISSN 2224-5308 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
Өсімдіктердің биологиясы және биотехнологиясы институтының

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Института биологии и биотехнологии растений

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
of the Institute of Plant Biology and Biotechnology

**БИОЛОГИЯ ЖӘНЕ МЕДИЦИНА
СЕРИЯСЫ**



СЕРИЯ

БИОЛОГИЧЕСКАЯ И МЕДИЦИНСКАЯ



SERIES

OF BIOLOGICAL AND MEDICAL

3 (327)

МАМЫР – МАУСЫМ 2018 ж.

МАЙ – ИЮНЬ 2018 г.

MAY – JUNE 2018

1963 ЖЫЛДЫҢ ҚАҢТАР АЙЫНАН ШЫҒА БАСТАҒАН
ИЗДАЕТСЯ С ЯНВАРЯ 1963 ГОДА
PUBLISHED SINCE JANUARY 1963

ЖЫЛЫНА 6 РЕТ ШЫҒАДЫ
ВЫХОДИТ 6 РАЗ В ГОД
PUBLISHED 6 TIMES A YEAR

АЛМАТЫ, ҚР ҰҒА
АЛМАТЫ, НАН РК
ALMATY, NAS RK

Б а с р е д а к т о р

ҚР ҰҒА академигі, м. ғ. д., проф. **Ж. А. Арзықұлов**

Абжанов Архат проф. (Бостон, АҚШ),
Абелев С.К., проф. (Мәскеу, Ресей),
Айтқожина Н.А., проф., академик (Қазақстан)
Ақшулақов С.К., проф., академик (Қазақстан)
Алшынбаев М.К., проф., академик (Қазақстан)
Бәтпенев Н.Д., проф., корр.-мүшесі (Қазақстан)
Березин В.Э., проф., корр.-мүшесі (Қазақстан)
Берсімбаев Р.И., проф., академик (Қазақстан)
Беркінбаев С.Ф., проф., (Қазақстан)
Бисенбаев А.К., проф., академик (Қазақстан)
Бишимбаева Н.Қ., проф., академик (Қазақстан)
Ботабекова Т.К., проф., корр.-мүшесі (Қазақстан)
Bosch Ernesto prof. (Spain)
Жансүгірова Л.Б., б.ғ.к., проф. (Қазақстан)
Ellenbogen Adrian prof. (Tel-Aviv, Israel),
Жамбакин Қ.Ж., проф., академик (Қазақстан), бас ред. орынбасары
Заядан Б.К., проф., корр.-мүшесі (Қазақстан)
Ishchenko Alexander prof. (Villejuif, France)
Исаева Р.Б., проф., (Қазақстан)
Қайдарова Д.Р., проф., академик (Қазақстан)
Кохметова А.М., проф., корр.-мүшесі (Қазақстан)
Күзденбаева Р.С., проф., академик (Қазақстан)
Локшин В.Н., проф., корр.-мүшесі (Қазақстан)
Лось Д.А., prof. (Мәскеу, Ресей)
Lunenfeld Bruno prof. (Израиль)
Макашев Е.К., проф., корр.-мүшесі (Қазақстан)
Муминов Т.А., проф., академик (Қазақстан)
Огарь Н.П., проф., корр.-мүшесі (Қазақстан)
Омаров Р.Т., б.ғ.к., проф., (Қазақстан)
Продеус А.П. проф. (Ресей)
Purton Saul prof. (London, UK)
Рахыпбеков Т.К., проф., корр.-мүшесі (Қазақстан)
Сапарбаев Мұрат проф. (Париж, Франция)
Сарбасов Дос проф. (Хьюстон, АҚШ)
Тұрысбеков Е.К., б.ғ.к., асс.проф. (Қазақстан)
Шарманов А.Т., проф. (АҚШ)

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www.nauka-nanrk.kz/biological-medical.kz

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

академик НАН РК, д.м.н., проф. **Ж. А. Арзыкулов**

Абжанов Архат проф. (Бостон, США),
Абелев С.К. проф. (Москва, Россия),
Айтхожина Н.А. проф., академик (Казахстан)
Акшулаков С.К. проф., академик (Казахстан)
Алчинбаев М.К. проф., академик (Казахстан)
Батпенов Н.Д. проф. член-корр.НАН РК (Казахстан)
Березин В.Э., проф., чл.-корр. (Казахстан)
Берсимбаев Р.И., проф., академик (Казахстан)
Беркинбаев С.Ф. проф. (Казахстан)
Бисенбаев А.К. проф., академик (Казахстан)
Бишимбаева Н.К. проф., академик (Казахстан)
Ботабекова Т.К. проф., чл.-корр. (Казахстан)
Bosch Ernesto prof. (Spain)
Джансугурова Л. Б. к.б.н., проф. (Казахстан)
Ellenbogen Adrian prof. (Tel-Aviv, Israel),
Жамбакин К.Ж. проф., академик (Казахстан), зам. гл. ред.
Заядан Б.К. проф., чл.-корр. (Казахстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б. проф. (Казахстан)
Кайдарова Д.Р. проф., академик (Казахстан)
Кохметова А.М. проф., чл.-корр. (Казахстан)
Кузденбаева Р.С. проф., академик (Казахстан)
Локшин В.Н., проф., чл.-корр. (Казахстан)
Лось Д.А. prof. (Москва, Россия)
Lunenfeld Bruno prof. (Израиль)
Макашев Е.К. проф., чл.-корр. (Казахстан)
Муминов Т.А. проф., академик (Казахстан)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Омаров Р.Т. к.б.н., проф. (Казахстан)
Продеус А.П. проф. (Россия)
Purton Saul prof. (London, UK)
Рахыпбеков Т.К. проф., чл.-корр. (Казахстан)
Сапарбаев Мурат проф. (Париж, Франция)
Сарбасов Дос проф. (Хьюстон, США)
Турьсыбеков Е. К., к.б.н., асс.проф. (Казахстан)
Шарманов А.Т. проф. (США)

«Известия НАН РК. Серия биологическая и медицинская».

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов
Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
www.nauka-nanrk.kz / biological-medical.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

Editor in chief

Zh.A. Arzykulov, academician of NAS RK, Dr. med., prof.

Abzhanov Arkhat, prof. (Boston, USA),
Abelev S.K., prof. (Moscow, Russia),
Aitkhozhina N.A., prof., academician (Kazakhstan)
Akshulakov S.K., prof., academician (Kazakhstan)
Alchinbayev M.K., prof., academician (Kazakhstan)
Batpenov N.D., prof., corr. member (Kazakhstan)
Berezin V.Ye., prof., corr. member. (Kazakhstan)
Bersimbayev R.I., prof., academician (Kazakhstan)
Berkinbaev S.F., prof. (Kazakhstan)
Bisenbayev A.K., prof., academician (Kazakhstan)
Bishimbayeva N.K., prof., academician (Kazakhstan)
Botabekova T.K., prof., corr. member. (Kazakhstan)
Bosch Ernesto, prof. (Spain)
Dzhansugurova L.B., Cand. biol., prof. (Kazakhstan)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Zhambakin K.Zh., prof., academician (Kazakhstan), deputy editor-in-chief
Ishchenko Alexander, prof. (Villejuif, France)
Isayeva R.B., prof. (Kazakhstan)
Kaydarova D.R., prof., academician (Kazakhstan)
Kokhmetova A., prof., corr. member (Kazakhstan)
Kuzdenbayeva R.S., prof., academician (Kazakhstan)
Lokshin V.N., prof., corr. member (Kazakhstan)
Los D.A., prof. (Moscow, Russia)
Lunenfeld Bruno, prof. (Israel)
Makashev E.K., prof., corr. member (Kazakhstan)
Muminov T.A., prof., academician (Kazakhstan)
Ogar N.P., prof., corr. member (Kazakhstan)
Omarov R.T., Cand. biol., prof. (Kazakhstan)
Prodeus A.P., prof. (Russia)
Purton Saul, prof. (London, UK)
Rakhypbekov T.K., prof., corr. member. (Kazakhstan)
Saparbayev Murat, prof. (Paris, France)
Sarbassov Dos, prof. (Houston, USA)
Turysbekov E.K., cand. biol., assoc. prof. (Kazakhstan)
Sharmanov A.T., prof. (USA)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine.

ISSN 2518-1629 (Online),

ISSN 2224-5308 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5546-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-nanrk.kz/> / biological-medical.kz

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF BIOLOGICAL AND MEDICAL

ISSN 2224-5308

Volume 3, Number 327 (2018), 72 – 75

UDC 612.014.49;591.1:574

GRNTI 34.39.53

U. N. Kapysheva, Sh. K. Bakhtiyarova, B. I. Zhaksymov

RSE on REM "Institute of Human and Animal Physiology" CS MES RK, Almaty, Kazakhstan.

E-mail: unzira@inbox.ru bifara66@mail.ru bolat_kaz@inbox.ru

**FUNCTIONAL PECULIARITIES
OF THE CARDIORESPIRATORY SYSTEM OF HUMAN
IN THE CONDITIONS OF ENVIRONMENTAL IMPROVEMENT**

Abstract. The data of physical health showed a significant increase in the coefficient of efficiency of blood circulation (CEC) and endurance factor, reflecting the state of functional insufficiency of the cardiovascular and respiratory systems in the adult population of the city of Talgar, Almaty region. Also, an express assessment of the health level of the population surveyed showed that 28% of residents have an "average" level of physical health, 30% are "below average", and the remaining 42% have a "low" level. It is likely that the main reason for the critical level of health in most of the surveyed residents of the city of Talgar (72%) is pollution of the environment during the last 50 years by metabolites of unused pesticides on the sites of dilapidated storage facilities.

Key words: health, health scale, pesticides, cardiorespiratory system.

Introduction. In the Address of the President of the country to the people of Kazakhstan, it is pointed out that with the development of society it is necessary to take increasing efforts to improve the environment and promote public health [1, 2]. This requires a comprehensive understanding of the morpho-physiological organization of human life, the most optimal conditions for living in specific environmental conditions, in other words, the conditions for the formation of health of the population and its pathological deviations in connection with environmental and internal factors [3].

Currently, global pollution of surface waters and land, primarily trace elements from the group of heavy metals, radioactive waste, pesticides, the toxicity of which, when it enters the external environment, increases as a result of secondary reactions, which contributes to the accumulation of harmful and poisonous substances in land and plants, leads to a sharp decrease in the biopotential of the ecosystem and the contamination of food products by toxicants [4].

On the territory of Kazakhstan, there is a large number of unaccounted graves of non-utilized pesticides. One of these regions is the Talgar region, on the territory of which in 80-90s of the last century 64 storages of chemical plant protection products were located. At present, uncontrolled contamination of the surrounding areas with metabolites of the disintegration of pesticide substances of the chloral-organic group occurs [5]. As a result, contamination of the internal environment of the human body and animals through food, air, water, which leads to a deterioration in the health of the population living near these stores, the development of environmental risks for residence [5, 6]. The contamination of the territories of abandoned storage facilities with organ chlorine pesticides (metabolites of 2,4 DDD, 4,4 DDT, 4,4 DDE and isomers of α -HCH, β -HCH and γ -HCH), concentrations of which exceed the MPC up to 114 times, 352 650 kg of obsolete and unusable pesticides [5].

In this regard, monitoring of public health in places where serious environmental quality problems are developing is becoming particularly relevant. This is the reason for the purpose of this study: conducting a comprehensive study of the health of the population of the residents of Talgar, the district center of the Talgar district of the Almaty region, on the territory of which 64 pesticide storage facilities of organ chlorine activity were located in the past.

Object and methods of research. The health surveys involved residents of working age from 20 to 75 years old, permanently residing in the city of Talgar, Almaty region. A total of 100 people were examined.

When examining the level of physical health of the population, anthropometric methods were used, the vital capacity of the lungs, pulse, and arterial pressure before and after a fixed load, the time of restoration of the pulse after a fixed load according to the Apanasenko scale [7] were determined. On the basis of the proceedings, the local ethical committees have the permission to dissolve - Minutes No. 52 of 05.09.2017.

Research results. According to the method of G.L. Apanasenko, according to the scale of physical health, there are five levels of health: low, below average, average, above average, high, which are calculated by the parameters of body weight, vital capacity of lungs, hand dynamometry, heart rate before and after dosed load, blood pressure. The difference in health levels explains the risk of developing disabilities, heart attacks, strokes. People who have a very high and high level of health on the Apanasenko scale show more than 18 points and the risk of death is minimal. If at a very low health every third person dies in the next eight years, then at a very high level - only one hundredth. People with an "average" and "below average" level of health gain from 4 to 15 points on the scale and are already at risk, when the likelihood of developing a chronic disease is very high, the third "low" level (less than 4 points) is the zone patients, which includes people who already have chronic diseases [7].

The results of a physical health study of the population of the Talgar district of the Almaty region on the Apanasenko scale showed that 28% of the surveyed population had an "average" level, 30% of the surveyed had "below average", the rest 42% of those over 40 had a "low" level of health (table).

Express - assessment of the level of health of residents of settlements of Talgar district of Almaty region

Character / age group	20-30 years old (28 people)	30-40 years old (30 people)	40-50 years old (24 people)	50-60 years old (18 people)
Kettle Index	19,3±1,14*	19,6±1,15*	23,6±1,21	26,2±1,13
points	0	0	0	-1
Vital index VI	49,5±6,8	46,7±4,07	35,3±2,6	26,7±2,13
points	1	1	1	1
Dynamometry of the brush	54,7±2,24	55,0±2,21	55,8±2,11	53,7±1,34
points	1	1	1	1
HR*Arterial Pressure sys. /100	83,6±8,80	92,3±7,01	99,4±7,72	108,9±9,72
points	3	0	-1	-1
Time to restore the pulse, sec.	1,55±0,19*	2,15±0,16*	2,06±0,21*	2,22±0,21*
points	3	1	1	1
sum of scores	8	3	2	1
general health assessment	average	below the average	low	low
*P ≤ 0,001 – between age groups.				

At the same time, the age gradation was traced - the number of people with "average" level of health included residents aged 20 to 30 who scored the maximum number of points (8 points) due to the rapid rehabilitation of the cardiorespiratory system after a fixed physical load and the Robinson index reflecting good compensatory and reserve capabilities of the young organism. Nevertheless, some young people were able to score only 4 points, which indicates a "below average" level of health. It was revealed that the decline in the level of health in all age groups is associated with the growth of the Robinson index due to an increase in blood pressure and heart rate. In addition, the recovery time of the heart rate after a fixed load increases, which reflects a decrease in the functional reserves of the cardiovascular system. It should also be noted that the functionality of the respiratory functions of the body in all residents is much lower than the physiological norm. It was found that the volume of Vital capacity (VC) in the group from 20 to

30 years is on average in the range of 2,600 ml, which is 40% less than the proper vital capacity of the lungs, which is calculated according to the conventional formula $4.9 \text{ in meters} - 0.019 - \text{by age} - 3.76$. On the basis of the vital capacity data, the so-called vital index (VI) is calculated. It is determined by the ratio of Vital capacity (VC) (ml) to body weight (kg). In trained individuals with a developed respiratory system and the optimal mass, it is normally 55-60 ml/kg. Reduction of these indicators is a sign of respiratory failure, chronic diseases of the respiratory system and environmental ill-being.

In addition, the vast majority of residents identified a significant increase in the coefficient of efficiency of circulation (CEC). CEC reflects the transport needs of the body at a specific point in time, that is, increased activity leads to an increase in oxygen consumption and a proportional increase in CEC. At the same time, in a physically developed trained organism, the growth of the CEC is minimal, since the work of the cardiovascular system does not require significant energy inputs. According to the published data, the norm of the circulatory economy is 2,600. In our studies, the CEC values in all groups were higher than expected, exceeding by 20-22% the physiological "norm", which indicates the developing fatigue, uneconomical expenditure of energy expenditure and, as a consequence, a functional insufficiency of the cardiovascular system in the adult contingent of residents of the city of Talgar, Almaty region.

This is confirmed by the data of the endurance factor, which was calculated by the Kvass formula. At physiological norm equal to 16, in Talgar district residents this indicator varies from 18 to 20 standard units, which reflects the weakening of the functional possibilities of blood circulation and shows the predisposition of many to cardiovascular insufficiency.

In general, the analysis of the results of the rapid assessment of the level of somatic health of the population of Talgar district of Almaty oblast as ecologically polluted with unutilized pesticides of the region showed that 28% of the surveyed population has an "average" level of physical health, 30% is "below average", the remaining 40-42% - "low".

For comparison, it should be noted that in previous studies of the health of the population of the Ile-Balkhash region of the Almaty region, it was shown that approximately 30% of the surveyed population had an average level of physical health on the Apanasenko scale, the remaining inhabitants showed below-average (26%) and low level (44%), having scored less than 1 point [8]. Approximately the same state of health was revealed among the residents of the more prosperous city of Talgar in the Almaty region. But at the same time it is necessary to take into account that in the Ile-Balkhash basin there are a number of serious environmental problems related to the natural potential of the region and, consequently, to the socio-economic state. In this region, according to preliminary estimates, the desertification processes have already covered about 1/3 of the basin area. Economic activity that does not take into account natural, environmental constraints leads to pollution and destruction of the ecosystems of the basin. In the water of the Ili River, there is an increased content of sulphates, nitrites, organic compounds, pesticides and heavy metals, and the level of these substances is also increased in the eastern part of the lake. Sources of pollution are industrial enterprises, especially the Balkhash Mining and Metallurgical Combine, municipal sewage and collector-drainage water.

Nevertheless, a comparative analysis of the health data of the population living in the Ile-Balkhash basin, generally recognized as an ecologically polluted region, and the city of Talgar in the Almaty region, the geographical location and living conditions in which is much more favorable, shows that the health of the population in both regions is critical level - almost 70% of the able-bodied population, showing "below average" and "low" level of health on the Apanasenko scale, have chronic and not diagnosed cardiovascular diseases a spiral system. It is likely that the leading place in the causes of this state of health among the inhabitants of the city of Talgar is the pollution of the environment by the metabolites of unused pesticides in the places of dilapidated storages for the past 50 years.

Conclusion. Half of the population of Talgar is in critical health, on the verge of developing chronic cardiovascular and respiratory disorders, which requires a careful therapeutic examination.

REFERENCES

[1] Nazarbayev N.A. Kazakhstan-2030. Prosperity, safety and improvement well-being of Kazakhstan people. Almaty, 1997. 20 p. (in Russian)

[2] Address by the President of the Republic of Kazakhstan, Leader of the Nation N. Nazarbayev "Socio-economic modernization is the main vector of development of Kazakhstan". January, 2012. (in Russian)

- [3] Yablokov A.V. Human health and the environment. M., 2007. 186 p. (in Russian)
- [4] Onishchenko G.G., Novikov S.M., Rakhmanin Y.A., Avaliani S.L., Bushtueva S.A. Basis for assessing the risk to public health in the presence of chemicals that pollute the environment: Monography. M., 2002. 408 p. (in Russian)
- [5] Inelova Z.A., Nurzhanova A.A., Zhamabalinova R.D., Zhumasheva Zh.E., Zholbaeva K.D., Korotkov V.S., Zukerman M.V. Phytocenosisbioindication of soil contaminated with pesticides (Talgar district, Almaty region) // Bulletin of KazNU, ecology series. 2010. N 3(29). P. 29-33. (in Russian)
- [6] Ishankulov M.Sh. The report of program 001 "Ensuring the activity of the authorized body in the field of environmental protection" // Ministry of Environmental Protection of the Republic of Kazakhstan, RSE "Inform-analytic Center for Environmental Protection. 2012. 133 p. (in Russian)
- [7] Apanasenko G.L. Evolution of bioenergetics and human health. SPb.: Petropolis, 1992. 132 p. (in Russian)
- [8] Капышева У.Н., Бахтиярова Ш.К., Бaimбетова А.К., Akhmetova M.N., Zhaksymov B.I., Kisebaev Zh.S., Mahmudova L.Kh. Assessment of the health status of the population living in the Ile-Balkhash region // Medical Sciences. N 3(44). M.: Publishing house "Sputnik +", 2011. N 3. P. 34-36. (in Russian)

У. Н. Капышева, Ш. Қ. Бахтиярова, Б. И. Жақсымов

ҚР БҒМ РМҚ ШҚЖ «Адам және жануарлар физиологиясы» институты, Алматы, Қазақстан

ЭКОЛОГИЯЛЫҚ ҚОЛАЙСЫЗ ЖАҒДАЙДАҒЫ АДАМДАРДЫҢ КАРДИОРЕСПИРАТОРЛЫҚ ЖҮЙЕСІНІҢ ҚЫЗМЕТТІК ЕРЕКШЕЛІКТЕРІ

Аннотация. Алматы облысы, Талғар қаласының ересек тұрғындарының соматикалық денсаулық көрсеткіштері бойынша жүрек – қантамырлар және тынысалу жүйесінің қызметтік жетіспеушілігінің күйіне әсер ететін қанайналым коэффициенті мен төзімділік коэффициенті айтарлықтай жоғарылаған. Сонымен қатар, тексеруден өткен халықтың денсаулығын экспресс-бағалау деңгейі бойынша тұрғындардың 28% - «орта» физикалық денсаулық деңгейін, 30% - «ортадан төмен», қалған 42% - «төменгі» деңгейді көрсетті. Мүмкін, оның негізгі себебі қоршаған ортаның соңғы 50 жылдан бері ластануымен, жартылайбүлінген қоймалар аймағындағы пестицид қалдықтарының дұрыс жойылмауы салдарынан Талғар қаласының тесеруден өткен тұрғындарының 72% - денсаулық көрсеткіші төменгі деңгейде.

Түйін сөздер: денсаулық, денсаулық бағанасы, пестицидтер, кардиореспираторлық жүйе.

У. Н. Капышева, Ш. К. Бахтиярова, Б. И. Жаксымов

РГП на ПХВ «Институт физиологии человека и животных» КН МОН РК, Алматы, Казахстан

ФУНКЦИОНАЛЬНЫЕ ОСОБЕННОСТИ КАРДИОРЕСПИРАТОРНОЙ СИСТЕМЫ ЧЕЛОВЕКА В УСЛОВИЯХ ЭКОЛОГИЧЕСКОГО НЕБЛАГОПОЛУЧИЯ

Аннотация. Данные соматического здоровья показали значительное увеличение коэффициента экономичности кровообращения (КЭК) и коэффициента выносливости, отражающих состояние функциональной недостаточности сердечно-сосудистой и дыхательной систем у взрослого контингента жителей г. Талгар Алматинской области. Также экспресс-оценка уровня здоровья обследованного населения показала, что 28% жителей имеет «средний» уровень физического здоровья, 30% - «ниже среднего», остальные 42% - «низкий». Вероятно, что основной причиной критического уровня здоровья у большей части обследованных жителей г. Талгар (72%) является загрязнение окружающей среды в течение последних 50 лет метаболитами не утилизированных пестицидов, находящихся на местах полуразрушенных хранилищ.

Ключевые слова: здоровье, шкала здоровья, пестициды, кардиореспираторная система.

Information about authors:

Kapysheva Unzira Naurzbaevna - RSE "Institute Human and Animal Physiology" CS MES RK, Chief Researcher Laboratory of Environmental Physiology, Doctor of Biological Sciences, professor, unzira@inbox.ru.

Bakhtiyarova Sholpan Kadirbayevna - RSE "Institute Human and Animal Physiology" CS MES RK, Head of the Laboratory of Environmental Physiology Ph.D. bifara66@mail.ru.

Zhaksymov Bolatbek Isauily - RSE "Institute Human and Animal Physiology" CS MES RK, researcher of the Laboratory of Ecological Physiology, Master of Science, bolat_kaz@inbox.ru

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

<http://www.biological-medical.kz/index.php/ru/>

Редактор *М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов*
Верстка на компьютере *Д. Н. Калкабековой*

Подписано в печать 22.05.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
7,25 п.л. Тираж 300. Заказ 3.