

**ISSN 2518-1629 (Online),
ISSN 2224-5308 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

С. Ж. Асфендияров атындағы Қазақ ұлттық медицина университеті

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Казахский национальный медицинский
университет им. С. Д. Асфендиярова

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Asfendiyarov
Kazakh National Medical University

**SERIES
OF BIOLOGICAL AND MEDICAL**

2 (338)

MARCH – APRIL 2020

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р

ҚР ҰҒА академигі, м. ф. д., проф.
Ж. А. Арзықұлов

Абжанов Архат, проф. (Бостон, АҚШ),
Абелев С.К., проф. (Мәскеу, Ресей),
Айтқожина Н.А., проф., академик (Қазақстан)
Акшулаков С.К., проф., академик (Қазақстан)
Алшыныбаев М.К., проф., академик (Қазақстан)
Бәтпенов Н.Д., проф., корр.-мүшесі (Қазақстан)
Березин В.Э., проф., корр.-мүшесі (Қазақстан)
Берсімбаев Р.И., проф., академик (Қазақстан)
Беркінбаев С.Ф., проф., (Қазақстан)
Бисенбаев А.К., проф., академик (Қазақстан)
Бишимбаева Н.Қ., проф., академик (Қазақстан)
Ботабекова Т.К., проф., корр.-мүшесі (Қазақстан)
Bosch Ernesto, prof. (Spain)
Давлетов Қ.К., ассоц.проф., жауапты хатшы
Жансұтрова Л.Б., б.ғ.к., проф. (Қазақстан)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Жамбакин Қ.Ж., проф., академик (Қазақстан), бас ред. орынбасары
Заядан Б.К., проф., корр.-мүшесі (Қазақстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б., проф., (Қазақстан)
Қайдарова Д.Р., проф., академик (Қазақстан)
Кохметова А.М., проф., корр.-мүшесі (Қазақстан)
Күзденбаева Р.С., проф., академик (Қазақстан)
Локшин В.Н., проф., корр.-мүшесі (Қазақстан)
Лось Д.А., prof. (Мәскеу, Ресей)
Lunenfeld Bruno, prof. (Израиль)
Макашев Е.К., проф., корр.-мүшесі (Қазақстан)
Миталипов Ш.М., (Америка)
Муминов Т.А., проф., академик (Қазақстан)
Огарь Н.П., проф., корр.-мүшесі (Қазақстан)
Омаров Р.Т., б.ғ.к., проф., (Қазақстан)
Продеус А.П., проф. (Ресей)
Purton Saul, prof. (London, UK)
Рахыпбеков Т.К., проф., корр.-мүшесі (Қазақстан)
Сапарбаев Мұрат, проф. (Париж, Франция)
Сарбасов Дос, проф. (Хьюстон, АҚШ)
Тұрысбеков Е.К., б.ғ.к., асс.проф. (Қазақстан)
Шарманов А.Т., проф. (АҚШ)

«ҚР ҰҒА Хабарлары. Биология және медициналық сериясы».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттүк ғылым академиясы» РКБ (Алматы қ.).

Қазақстан республикасының Мәдениет пен әкпарат министрлігінің Ақпарат және мұрагат комитетінде 01.06.2006 ж. берілген №5546-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік.

Мерзімділігі: жылдан 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19, 272-13-18;
<http://biological-medical.kz/index.php/en/>

© Қазақстан Республикасының Үлттүк ғылым академиясы, 2020

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Г л а в н ы й р е д а к т о р

академик НАН РК, д.м.н., проф.
Ж. А. Арзыкулов

Абжанов Архат, проф. (Бостон, США),
Абелев С.К., проф. (Москва, Россия),
Айтхожина Н.А., проф., академик (Казахстан)
Акшулаков С.К., проф., академик (Казахстан)
Алчинбаев М.К., проф., академик (Казахстан)
Батпенов Н.Д., проф., чл.-корр. (Казахстан)
Березин В.Э., проф., чл.-корр. (Казахстан)
Берсимбаев Р.И., проф., академик (Казахстан)
Беркинбаев С.Ф., проф. (Казахстан)
Бисенбаев А.К., проф., академик (Казахстан)
Бишимбаева Н.К., проф., академик (Казахстан)
Ботабекова Т.К., проф., чл.-корр. (Казахстан)
Bosch Ernesto, prof. (Spain)
Давлетов К.К., ассоц. проф., ответственный секретарь
Джансугурова Л. Б., к.б.н., проф. (Казахстан)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Жамбакин К.Ж., проф., академик (Казахстан), зам. гл. ред.
Заядан Б.К., проф., чл.-корр. (Казахстан)
Ishchenko Alexander, prof. (Villejuif, France)
Исаева Р.Б., проф. (Казахстан)
Кайдарова Д.Р., проф., академик (Казахстан)
Кохметова А.М., проф., чл.-корр. (Казахстан)
Кузденбаева Р.С., проф., академик (Казахстан)
Локшин В.Н., проф., чл.-корр. (Казахстан)
Лось Д.А., prof. (Москва, Россия)
Lunenfeld Bruno, prof. (Израиль)
Макашев Е.К., проф., чл.-корр. (Казахстан)
Миталипов Ш.М., (Америка)
Муминов Т.А., проф., академик (Казахстан)
Огарь Н.П., проф., чл.-корр. (Казахстан)
Омаров Р.Т., к.б.н., проф. (Казахстан)
Продеус А.П., проф. (Россия)
Purton Saul, prof. (London, UK)
Рахыпбеков Т.К., проф., чл.-корр. (Казахстан)
Сапарбаев Мурат, проф. (Париж, Франция)
Сарбасов Дос, проф. (Хьюстон, США)
Турысбеков Е. К., к.б.н., асс. проф. (Казахстан)
Шарманов А.Т., проф. (США)

«Известия НАН РК. Серия биологическая и медицинская».

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Собственник: ПОО «Национальная академия наук Республики Казахстан» (г. Алматы).

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5546-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел. 272-13-19, 272-13-18;
<http://biological-medical.kz/index.php/en/>

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: «NurNazGRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief

Zh.A. Arzykulov,
academician of NAS RK, Dr. med., prof.

Abzhanov Arkhat, prof. (Boston, USA),
Abelev S.K., prof. (Moscow, Russia),
Aitkhozhina N.A., prof., academician (Kazakhstan)
Akshulakov S.K., prof., academician (Kazakhstan)
Alchinbayev M.K., prof., academician (Kazakhstan)
Batpenov N.D., prof., corr. member (Kazakhstan)
Berezin V.Ye., prof., corr. member (Kazakhstan)
Bersimbayev R.I., prof., academician (Kazakhstan)
Berkinbaev S.F., prof. (Kazakhstan)
Bisenbayev A.K., prof., academician (Kazakhstan)
Bishimbayeva N.K., prof., academician (Kazakhstan)
Botabekova T.K., prof., corr. member (Kazakhstan)
Bosch Ernesto, prof. (Spain)
Davletov Kairat, PhD, associate professor, executive Secretary
Dzhansugurova L.B., Cand. biol., prof. (Kazakhstan)
Ellenbogen Adrian, prof. (Tel-Aviv, Israel),
Zhambakin K.Zh., prof., academician (Kazakhstan), deputy editor-in-chief
Ishchenko Alexander, prof. (Villejuif, France)
Isayeva R.B., prof. (Kazakhstan)
Kaydarova D.R., prof., academician (Kazakhstan)
Kokhmetova A., prof., corr. member (Kazakhstan)
Kuzdenbayeva R.S., prof., academician (Kazakhstan)
Lokshin V.N., prof., corr. member (Kazakhstan)
Los D.A., prof. (Moscow, Russia)
Lunenfeld Bruno, prof. (Israel)
Makashev E.K., prof., corr. member (Kazakhstan)
Mitalipov Sh.M. (America)
Muminov T.A., prof., academician (Kazakhstan)
Ogar N.P., prof., corr. member (Kazakhstan)
Omarov R.T., cand. biol., prof. (Kazakhstan)
Prodeus A.P., prof. (Russia)
Purton Saul, prof. (London, UK)
Rakhypbekov T.K., prof., corr. member (Kazakhstan)
Saparbayev Murat, prof. (Paris, France)
Sarbassov Dos, prof. (Houston, USA)
Turysbekov E.K., cand. biol., assoc. prof. (Kazakhstan)
Sharmanov A.T., prof. (USA)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of biology and medicine.

ISSN 2518-1629 (Online), ISSN 2224-5308 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty).

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5546-Ж, issued 01.06.2006.

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str. of. 219, 220, Almaty, 050010; tel. 272-13-19, 272-13-18;
<http://biological-medical.kz/index.php/en/>

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

Flora and fauna

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES OF BIOLOGICAL AND MEDICAL

ISSN 2224-5308

Volume 2, Number 338 (2020), 41 – 47

<https://doi.org/10.32014/2020.2519-1629.11>

УДК 595.7 (754): 398

МРНТИ 34.33.19

D. Akimzhanov¹, P.A. Esenbekova², A.M. Kenzhegaliev³, B.K. Yelikbayev¹

¹Kazakh National Agrarian university, Almaty, Kazakhstan;

²Zoology institute, CS MES RK, Almaty, Kazakhstan;

³Kazakh Research Institute of Plant Protection and Quarantine named after Zh.Zhimbaev, Almaty, Kazakhstan.

E-mail: darhan-14@mail.ru, esenbekova_periz@mail.ru, arnur_1992@mail.ru, bek29@mail.ru

MATERIALS FOR THE HEMIPTERANS FAUNA (HETEROPTERA) OF KOLSAI KOLDERY STATE NATIONAL NATURE PARK

Abstract. As a result of the research performed at SNNP “Kolsai Koldery”, we noted 26 species of hemipterans, belonging to 3 families. According to nutrition connections the identified hemipterans are 6 species are phytophages: polyphages (4 %), wide oligophages (22 %), 1 species - zoophyophage (4 %), the remaining 16 species are mycetophages (70 %). By confinement to the habitats, the hemipterans of SNNP “Kolsai Koldery” are divided into several groups: dendrobionts (15 species), hortobionts (6 species), herpetobionts (2 species). On the territory of SNNP “Kolsai Koldery” according to ecological features, all identified species are mesophiles. For the true bugs of SNNP “Kolsai Koldery” all known types of voltinism are characteristic: monovoltinism (6 species), bivoltinism (1 species), acyclic species (16 species).

Key words: Hemiptera, Heteroptera, “Kolsai Koldery” National Nature Park.

Introduction. The unique landscape diversity of SNNP “Kolsai Koldery” many natural and historical monuments determines the intensified development of tourism, both domestic and international. Also, this zone is interesting from the point of view of species diversity of insects, as it is a plain and mountains and is influenced by mesofauna of various biotopes.

Hemipterans (Heteroptera) are a group of insects that inhabit a wide variety of biotopes and play an important role in biological processes in biogeocenoses. Among the above-ground hemipterans, some live openly on plants, others under bark, and others in plant bedding or soil. Many species are serious plant pests. These are, for example, pine submissive bugs, harmful turtle, cruciferous bugs and many others.

The purpose of the study is to identify the biodiversity of hemipterans insects that inhabit the territory of the study, to study the ecological, biological characteristics and spread of hemipterans species in the territory of the SNNP “Kolsai Koldery”.

In the natural park “Kolsai koldery” despite the important economic importance of hemipterans, their species composition, biology, ecology, vertical belt distribution and economic importance are not sufficiently studied, which determines the relevance of the present study.

The basis for this work was the authors collected material and field observations. Collections of material were carried out from June to August 2018-2019 in various biotopes of SNNP “Kolsai Koldery”.

Field work was carried out in the gorge: Kurmeti, Saty, Karabulak, Kok-Zhazyk, Sary-Naua, Kayndy, Taldy, Zhaman-bulak, Lake Kolsai, the species composition of hemipterans insects was studied.

Methods of researches. In the course of research, conventional techniques [1-4] with original modifications were used to collect field faunistic entomological materials.

Results of researches. The following are the species found in the territories studied and an analysis of this material is given.

Class: Insecta

Order: Hemiptera

Family: Aradidae

Aneurus avenius avenius (Dufour, 1833). Almaty region, Rayymbek district, SNNP "Kolsai Koldery", 12.06.2018, 5 ♀, 4 ♂; 20.07.2019, 3 ♀, 4 ♂; gorge Sata, flood plain of the Saty River, 25.06.1919, 3 ♀, 2 ♂; the surroundings of Kaiynda Lake. 18.07.2018, 3 ♀, 4 ♂; 22.07.2019, 3 ♀, 2 ♂. Dendrobiont (under the lagging behind bark of stubs and trees and in crevices of wood of deciduous trees, in bark cracks on branches and thin trunks); mezofit; there is no narrow food specialization; Feeds on possibly phloem juice, there is an indication of the juice nutrition of *Coriolus* fungi [5]; acyclic; winters imago and larvae of all stages.

Aradus angularis J. Sahlberg, 1886. Almaty region, Rayymbek district, SNNP "Kolsai Koldery", 06/12/2018, 2 ♂; Kurmeti cordon, 06/19/2019, 2 ♀, 1 ♂; Sary-Nahua cordon. 08/07/2019. 2 ♀, 3 ♂. Dendrobiont (inhabits under the bark of coniferous trees, in cracks of the bark on branches and thin trunks); mesophile, mycetophagus (on tinder fungus); acyclic; winters imago [5, 6].

Aradus aterrimus Fieber, 1864. Almaty region, Rayymbek district, SNNP "Kolsai Koldery", gorge Karabulak, Kok-Zhazyk cordon. 06/14/2018, 2 ♀, 3 ♂; Kurmeti cordon, 06/19/2019, 2 ♀, 2 ♂; 1st lake Kolsay. 07/21/2019, 1 ♀, 2 ♂. Dendrobiont (on *Pinus* pine); mesophile (in the mountains rises to a height of 2300-2500 m above sea level); mycetophage; eats mushroom juice; acyclic; winters imago and larvae of all stages [5].

Aradus betulae (Linnaeus, 1758). Almaty region, Rayymbek district, SNNP "Kolsai Koldery", lake Kayndy. 06.15.2018, 2 ♀, 3 ♂; 06/23/2018, 3 ♀, 3 ♂; 07/23/2018, 4 ♀, 3 ♂; 06/17/2019, 2 ♀, 2 ♂. Dendrobiont (inhabits on sick and dead birch trees and other deciduous trees affected by trutovitics from the polyporaceae group [7]; mycetofage; mesophil; acyclic; winters imago and larvae of all stages).

Aradus bimaculatus Reuter, 1872. Almaty region, Raiymbek district, SNNP "Kolsai Koldery", gorge Saty, 06/25/2018, 1 ♀, 2 ♂; gorge Karabulak. 07/17/2018, 3 ♀, 2 ♂; 07/21/2019, 1 ♀, 2 ♂. Dendrobiont (on the dying bark of white and silver poplars, as well as on aspen, oak, alder, etc. affected by mushrooms); mesophyll, mycetophagus, feeds on mushroom juice; acyclic; winters imago and larvae of all stages. Rare. It was found under the bark of *Picea excelsa* [8].

Aradus cinnamomeus Panzer, 1794. Almaty region, Raiymbek district, "Kolsai kolderi"SNPP, Kok-Zhazyk cordon. 06/14/2018, 3 ♀, 4 ♂; Kurmeti cordon, 06/19/2019, 1 ♀, 2 ♂; 1st lake Kolsai. 07/21/2019, 2 ♀, 2 ♂. Dndrobiont (inhabits on young pines); mesophil; mycetofag, eats mushroom juice; acyclic; winters imago and larvae of all stages [9].

Aradus corticolis Linnaeus, 1758. Raiymbek district, SNNP "Kolsai Koldery", 1st lake Kolsai. 05/16/2018. 3 ♀, 2 ♂; gorge Taldy. 07/17/2019. , 2 ♀, 2 ♂; gorge: Karabulak, Sary Nahua. 08.24.2019. 1 ♀, 2 ♂. Dendrobiont [under the bark of trees and in the folds of the tinder fungus *Fomesmarginalis* (on pines and other trees) and *Daedaleaquercina* (on oak and conifers); mesophyll; eats the juice of fungus- trutoviki (mycetophagus); acyclic; winters imago and larvae of all stages [10].

*Aradus crenaticollis*R.F.Sahlberg, 1848. Almaty Region, Raiymbek District, SNNP "Kolsai Koldery", gorge Karabulak, Sary-Nahua. 12.06.2018, 2 ♀, 1 ♂; 07/20/2019, 1 ♀, 2 ♂; gorge Saty, the Saty river floodplain, 06/25/1919, 2 ♀, 2 ♂; gorge Taldy. 07/18/2018, 3 ♀, 2 ♂; 07/22/2019, 3 ♀, 2 ♂. Dendrobiont (lives on conifers, pines on fungus- trutoviki); mesophil, mycetophage, eats mushroom juice; non-cyclic; winters imago and larvae of all stages [11].

*Aradus distinctus*Fieber, 1860. Almaty region, Raiymbek district, SNNP "Kolsai Koldery", gorge Karabulak, Sary-Nahua. 12.06.2018, 2 ♀, 2 ♂; 07/20/2019, 3 ♀, 2 ♂; gorge Saty, the Saty river floodplain, 06/25/1919, 2 ♀, 1 ♂; gorge Taldy. 07/18/2018, 1 ♀, 2 ♂; 07/22/2019, 3 ♀, 2 ♂. Herpetobiont (in detritus on dry and moist soils; in oak forests near rivers, on sand dunes near *Populusnigra*); mesophyll; mycetophagus, feeds on fungi growing among plant debris); acyclic; winters imago and larvae of all stages [5]. West Eurasian species.

Aradus flavicornis Dalman, 1823. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 1♂; Kurmeti cordon, 06/19/2019, 1♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 2♀, 2♂. Dendrobiont (inhabits on deciduous); mesophil, mycetophage, eats mushroom juice; acyclic; winters imago and larvae of all stages [12].

Aradus pictus Baerensprung, 1859. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, Kok-Zhazyk cordon. 06/14/2018, 3♀, 2♂; Kurmeti cordon, 06/19/2019, 2♀, 2♂; 1st lake Kolsay. 07/21/2019, 2♀, 3♂. Dendrobiont (on the fungus- trutoviki on conifers); mesophyll, mycetophagus, eats on mushroom juice; acyclic; winters imago and larvae of all stages [13].

Aradus hieroglyphicus J. Sahlberg, 1878. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 2♂; Kurmeti cordon, 06/19/2019, 1♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 3♀, 2♂; gorge Zhaman-bulak. 06/15/2018. 1♀, 2♂. Dendrobiont (on tinder-stands on aspen and willow, as well as under the bark of pyramidal and other poplars and white acacia; mesophile, mycetophage (eats on mushroom juice); acyclic; winters imago and larvae of all stages [7].

Aradus lugubris Fallen, 1807. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, Kok-Zhazyk cordon. 06/14/2018, 3♀, 2♂; Kurmeti cordon, 06/19/2019, 2♀, 3♂; 1st lake Kolsay. 07/21/2019, 4♀, 3♂. Dendrobiont (lives on coniferous trees in the mountains); mesophil, mycetophagus, feeds on juice of mushrooms [4]; acyclic; winters imago and larvae of all stages

Aradus obtectus Vasarhelyi, 1988. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, 1st lake Kolsay. 05/16/2018. 2♀, 2♂; gorge Taldy. 07/17/2019. 3♀, 2♂; gorge Karabulak, Sary Nahua. 08/24/2019. 1♀, 2♂; Lake Kayyndy. 06/15/2018, 2♀, 2♂; 06/23/2018, 3♀, 2♂. Dendrobiont (on Pinus, Betula, Acer); usually on the fungus- trutoviki on conifers; growing on stumps of birch; mesophile, mycetophagus, feeds on the juice of fungi-tinder fungi; acyclic [5]; winterslarvae.

*Aradus ribauti*E.Wagner, 1956. Almaty Region, Rayymbek District, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 2♂; 06/21/2019, 3♀, 2♂; gorge Taldy. 07/18/2018, 1♀, 2♂; 07/22/2019, 3♀, 2♂; gorge Zhaman-bulak. 06/15/2018. 3♀, 2♂. Dendrobiont (on Populus tremula and other Populus); mesophile, mycetophagus, feeds on the juice of fungus- trutoviki; acyclic; winters imago and larvae of all stages [7].

Aradus setiger Kiritshenko, 1913. Almaty region, Raiymbek district, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 2♂; 06/21/2019, 1♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂. Dendrobiont (on the fungus- trutoviki, on aspen and willow, as well as under the bark of poplars and white acacia [11]; mesophilus, mycetophage, feeds on mushroom juice; acyclic; winters imago and larvae of all stages.

The Berytida Family – Berytidae.

Berytinus clavipes (Fabricius, 1775). Almaty region, Rayymbek district, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 3♂; Kurmeti cordon, 06/19/2019, 2♀, 1♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 2♀, 2♂; gorge Zhaman-bulak. 06/15/2018. 3♀, 2♂. Hortobiont; mesophil (inhabits in forest steppe, rarefied forests, forest edges and forest glades, parks, mesophite meadows, in the middle belt of mountains); wide oligophytophag (feeds on grassy legumes: Ononis, etc. [5]; monovoltine; winters imago.Kazakhstan it is ubiquitous.

Berytinus crassipes (Herrich-Schaeffer, 1835). Almaty region, Rayymbek district, SNNP “Kolsai Koldery”, gorge Karabulak, 06/14/2018, 2♀, 1♂; Kurmeti cordon, 06/19/2019, 2♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 2♀, 3♂; gorge Zhaman-bulak. 06/15/2018. 2♀, 2♂. Hortobiont; mesophil (lives in rarefied forests, forest edges and forest glades, parks); polyphitofag (easts legumes, sedge, cereals, seeds ([5]; monovoltine; winters imago.

Berytinus distinguendus (Ferrari, 1874). Almaty region, Rayymbek district, SNNP “Kolsai Koldery”, gorge. Karabulak, 06/14/2018, 2♀, 1♂; Kurmeti cordon, 06/19/2019, 2♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 2♀, 3♂; gorge Zhaman-bulak. 06/15/2018. 2♀, 2♂. Hortobiont; mesophyll (in places of growth of stunted alfalfa: *Medicago rigidula*, *M. minima* [5]; narrow oligophytophage; monovoltine; winters imago.

Berytinus hirticornis Brulle, 1835. Almaty Region, Raiymbek District, SNNP “Kolsai Koldery”, Kok-Zhazyk cordon. 06/14/2018, 1♀, 2♂; Kurmeti cordon, 06/19/2019, 2♀, 2♂; gorge Karabulak, 06/14/2018, 2♀, 3♂; Kurmeti cordon, 06/19/2019, 3♀, 2♂; gorge Taldy. 07/18/2018, 1♀, 2♂; 07/22/2019, 2♀, 1♂; gorge Zhaman-bulak. 06/15/2018. 2♀, 3♂. Hortobiont; mesophyll; wide oligophytophage (on legumes); monovoltine; winters imago [5].

Berytinus minor minor (Herrick-Schaeffer, 1835). Almaty region, Raiymbek district, SNNP "Kolsai Koldery", Kok-Zhazyk cordon. 06/14/2018, 3♀, 2♂; Kurmeti cordon, 06/19/2019, 2♀, 2♂; gorge Karabulak, 06/14/2018, 2♀, 1♂; Kurmeti cordon, 06/19/2019, 3♀, 2♂; gorge Taldy. 07/18/2018, 3♀, 2♂; 07/22/2019, 2♀, 1♂; gorge Zhaman-bulak. 06/15/2018. 3♀, 3♂. Hortobiont (On and under different-level vegetation); mesophile (sparse forests, forest edges and forest glades, parks, hillsides and river terraces, meadows: numerous in the middle mountain belt); wide oligophytophage (on legumes: *Trifolium*, *Medicago*, *Ononis*); monovoltine; winters imago [5,14].

Berytinus montivagus (Meyer-Dur, 1841). Almaty region, Raiymbek district, SNNP "Kolsai Koldery", Kok-Zhazyk cordon. 06/14/2018, 2♀, 2♂; Kurmeti cordon, 06/19/2019, 3♀, 2♂; gorge Karabulak, 06/14/2018, 3♀, 3♂; Kurmeti cordon, 06/19/2019, 3♀, 4♂; gorge Taldy. 07/18/2018, 1♀, 2♂; 07/22/2019, 2♀, 3♂; gorge Zhaman-bulak. 06/15/2018. 2♀, 3♂. Hortobiont; mesophile (dry slopes of hills, river terraces and other places covered with *Medicago lupula* and other types of low alfalfa); wide oligophytophage (*Medicago* and *Trifolium*); monovoltine [5]; winters imago.

Redbug Family – Pyrrhocoridae.

Pyrrhocoris apterus (Linnaeus, 1758). Almaty region, Raiymbek district, SNNP "Kolsai Koldery", Kok-Zhazyk cordon. 06/14/2018, 3♀, 4♂; Kurmeti cordon, 06/19/2019, 5♀, 6♂; gorge Karabulak, 06/14/2018, 4♀, 3♂; Kurmeti cordon, 06/19/2019, 4♀, 4♂; gorge Taldy. 07/18/2018, 6♀, 5♂; 07/22/2019, 3♀, 5♂; gorge Zhaman-bulak. 06/15/2018. 4♀, 3♂; 07/12/1920, 4♀, 6♂. Herpetobiont; mesophil (lives in forests and clearings, forest strips, parks, protective plantations and other mesophilic biotops; among detritus; often feeds on plants, small insects and ticks, dead insects, fallen seeds and juice of green parts of plants (*Malvaneglecta*, *Alcea rosea*, *Lavatera thuringiaca*, *Caragana arborescens*); up to 2 generations per year; winters imago, in groups among plant residues [5,15,16].

Table 1 – Taxonomic composition of hemipterans in the SNPP "Kolsai Koldery"

| Family | Species name | number of species | % |
|---------------|--|-------------------|-----|
| Aradidae | <i>Aneurusaveniusavenius</i> (Dufour, 1833) | 16 | 70 |
| | <i>Aradus angularis</i> J.Sahlberg, 1886 | | |
| | <i>Aradus aterrimus</i> Fieber, 1864 | | |
| | <i>Aradusbetulae</i> (Linnaeus, 1758) | | |
| | <i>Aradus bimaculatus</i> Reuter, 1872 | | |
| | <i>Aradus cinnamomeus</i> Panzer, 1794 | | |
| | <i>Aradus corticolis</i> Linnaeus, 1758 | | |
| | <i>Araduscrenaticollis</i> R.F.Sahlberg, 1848 | | |
| | <i>Aradusdistinctus</i> Fieber, 1860 | | |
| | <i>Aradusflavicornis</i> Dalman, 1823 | | |
| | <i>Araduspictus</i> Baerensprung, 1859 | | |
| | <i>Aradushieroglyphicus</i> J.Sahlberg, 1878 | | |
| | <i>Araduslugubris</i> Fallen, 1807 | | |
| | <i>Aradusobtectus</i> Vasarhelyi, 1988 | | |
| | <i>Aradusribauti</i> E.Wagner, 1956 | | |
| | <i>Aradussetiger</i> Kiritschenko, 1913 | | |
| Berytidae | <i>Berytinus clavipes</i> (Fabricius, 1775) | 6 | 27 |
| | <i>Berytinuscrassipes</i> (Herrick-Schaeffer, 1835) | | |
| | <i>Berytinus distinguendus</i> (Ferrari, 1874) | | |
| | <i>Berytinushirticornis</i> Brulle, 1835 | | |
| | <i>Berytinus minor minor</i> (Herrick-Schaeffer, 1835) | | |
| | <i>Berytinus montivagus</i> (Meyer-Dur, 1841) | | |
| Pyrrhocoridae | <i>Pyrrhocoris apterus</i> (Linnaeus, 1758) | 1 | 3 |
| In total: | | 23 | 100 |

As can be seen from the data presented in table 1, representatives of the Aradidae family – 16 species, and Berytidae – 6 species predominate in species diversity from the identified bugs.

The seasonal development of the hemipterans is heterodynamic. Voltinism of the population reflects the number of annual generations realized by the population in a certain part of the species range. For the hemipterans of SNNP “Kolsai Koldery” all known species of Voltinism are characteristic:

- monovoltinism (one generation per year) – 6 species;
- bivoltinism (two generations per year) – 1 species;
- acyclic species have a stretched life cycle, i.e. throughout a year there are different phases and stages of development – 16 species.

The nutrition of hemipterans is extremely varied. There are mycetophages, phytophages and zoophytophages on the SNNP “Kolsai Koldery” area (table 2).

Table 2 – Food specialization of hemiptera of “SNNP “Kolsai Koldery”

| Species groups | | Number of species | % |
|----------------|------------------|-------------------|-----|
| Zoophytophages | | 1 | 4 |
| mycetophages | | 16 | 70 |
| phytophages | polyphages | 1 | 4 |
| | wide oligophages | 5 | 22 |
| In total: | | 23 | 100 |

According to nutrition connections the identified hemipterans – 6 species are phytophages: polyphages (4 %), wide oligophages (22 %), 1 species – zoophytophage (4 %), the remaining 16 species are mycetophages (70 %).

According to habitat, the hemipterans in the SNNP “Kolsai Koldery” are divided into several groups: dendrobionts (15 species), hortobionts (6 species), herpetobionts (2 species).

On the territory of the SNNP “Kolsai Koldery”, according to ecological features, all identified species are mesophiles.

Conclusion. As a result of the research conducted at SNNP “Kolsai Koldery”, we noted 26 species of hemipterans, belonging to 3 families. According to nutrition connections the identified hemipterans are 6 species are phytophages: polyphages (4 %), wide oligophages (22 %), 1 species - zoophytophage (4 %), the remaining 16 species are mycetophages (70 %). By confinement to the habitats, the hemipterans of SNNP “Kolsai Koldery” are divided into several groups: dendrobionts (15 species), hortobionts (6 species), herpetobionts (2 species). On the territory of the SNNP “Kolsai Koldery”, all identified species are mesophiles according to environmental features. For the hemipterans of SNNP “Kolsai Koldery”, all known species of Voltinism are characteristic: monovoltinism (6 species), bivoltinism (1 species), acyclic species (16 species).

Д. Ш. Акимжанов¹, П. А. Есенбекова², А. М. Кенжегалиев³, Б. К. Еликбаев¹

¹Қазақ Ұлттық Аграрлық Университеті, Алматы, Қазақстан;

²ҚР БФМ FK «Зоология институты», Алматы, Қазақстан;

³Ж. Жилембаев атындағы «Қазақ өсімдік қорғау және карантин ғылыми зерттеу институты»,
Алматы, Қазақстан

«КӨЛСАЙ КӨЛДЕРІ» МЕМЛЕКЕТТІК ҰЛТТЫҚ ТАБИГИ ПАРКІ ЖАРТЫЛАЙ ҚАТТЫҚАНАТТЫЛАР (HETEROPTERA) ФАУНАСЫНА МАТЕРИАЛДАР

Аннотация. «Көлсай көлдері» МҰТП-нің қайталанбас ландшафттық алуан түрлілігі, көптеген табиғи және тарихи ескерткіштер ішкі және халықаралық туризмнің дамуын айқындаиды. Бұл аймақ жәндіктердің алуан түрлілігі түрфысынан да қызықты, ейткені бұған жазық таулар және әртүрлі биотоптардың мезофаунасы әсер етеді.

Жартылай қаттықанаттылар (Heteroptera) – биогеоценоздарда биологиялық процестерде маңызды рөл атқаратын және әртүрлі биотоптарды мекендейтін жәндіктер тобы. Жер үсті жартылай қаттықанаттылардың

арасында, біреуі өсімдіктерде, басқалары өсімдік қабықтарының астында, үшіншісі – өсімдік төсөнішінде немесе топыракта ашық өмір сүреді. Қоптеген түрлер – өсімдіктердің маңызды зиянкестері. Бұл, мысалы, қарагай түбегі, зиянды тасбакалар, крест гүл шоғыры және тағы басқалар.

Зерттеудің мақсаты – зерттеу аумағын мекендейтін жартылай қаттықанатты жәндіктердің биологиялық алуан түрлілігін анықтау, "Көлсай көлдері" МҰТП аумағында жартылай қаттықанаттылар түрлерінің экологиялық, биологиялық ерекшеліктерін және таралуын зерттеу.

"Көлсай көлдері" табиги паркінде жартылай қаттықанаттылардың маңызды шаруашылық маңызына қарамастан, олардың түрлік құрамы, биологиясы, экологиясы, белдеулер бойынша бөлү және шаруашылық маңызы жеткілікті түрде зерттелмеген, зерттеудің өзектілігі осымен анықталады.

Бұл жұмыс авторлардың жеке жиындары мен далалық бақылаулары негізінде жазылды. "Көлсай көлдері" МҰТП әртүрлі биотоптарында материалды жинау 2018-2019 жылдары жүргізілді. Дала жұмыстары – Құрметі шатқалы, Саты шатқалы, Карабұлақ, Көк-жазық, Сары-Ная шатқалы, Қайынды шатқалы, Талды, Жаман-бұлақ, Құрмет, Көлсай көлдері аумағында жартылай қаттықанатты жәндіктердің түрлік құрамы зерттелді.

«Көлсай көлдері» МҰТП территориясында жүргізілген зерттеулер нәтижесінде жартылай қаттықанаттылардың 3 тұқымдасына жататын 26 түр анықталды. Табылған жартылай қаттықанаттылар коректік байланысы жағынан фитофагтар – 6 түр: полифагтар (4 %), кен олигофагтар (22 %), 1 түр – зоофитофаг (4 %), 16 түр – мицетофагтар (70 %). «Көлсай көлдері» МҰТП жартылай қаттықанаттылар тіршілік ету ортасына байланысты бірнеше топқа бөлінеді: дендробионттар (15 түр), хортобионттар (6 түр), герпетобионттар (2 түр). Зерттелген аймақ жартылай қаттықанаттылары экологиялық ерекшеліктері жағынан – мезофильдер. Оларға волгинизмнің белгілі бар типі тән: моноволгинизм (6 түр), биволгинизм (1 түр), ациклиды түрлер (16 түр).

Түйін сөздер: жартылай қаттықанаттылар, Heteroptera, «Көлсай көлдері» мемлекеттік ұлттық табиги паркі.

Д. Ш. Акимжанов¹, П. А. Есенбекова², А. М. Кенжегалиев³, Б. К. Еликбаев¹

¹Казахский Национальный Аграрный Университет, Алматы, Казахстан;

²Институт зоологии КН МОН РК, Алматы, Казахстан;

³Казахский НИИ защиты и карантина растений имени Ж.Жилембаева, Алматы, Казахстан

МАТЕРИАЛЫ К ФАУНЕ ПОЛУЖЕСТКОКРЫЛЫХ (HETEROPTERA) ГОСУДАРСТВЕННОГО НАЦИОНАЛЬНОГО ПРИРОДНОГО ПАРКА «КӨЛСАЙ КӨЛДЕРІ»

Аннотация. Уникальное ландшафтное разнообразие ГНПП «Көлсай көлдері», множество памятников природы и истории обуславливает усиленное развитие туризма как внутреннего, так и международного. Также эта зона интересна с точки зрения видового разнообразия насекомых, так как является равниной и горами и испытывает на себе влияние мезофаун различных биотопов.

Полужестокрылые – группа насекомых, заселяющих самые разнообразные биотопы и играющих важную роль в биологических процессах в биогеоценозах. Среди наземных полужестокрылых одни живут открыто на растениях, другие под корой, третьи – в растительной подстилке или в почве. Многие виды – серьезные вредители растений. Это, например, сосновый подкорный клоп, вредная черепашка, крестоцветные клопы и др.

Цель исследования – выявление биоразнообразия полужестокрылых насекомых, населяющих территорию исследования, изучить экологические, биологические особенности и распространение видов полужестокрылых насекомых на территории ГНПП «Көлсай көлдері».

В ГНПП «Көлсай көлдері», несмотря на важное хозяйственное значение полужестокрылых, их видовой состав, биология, экология, распределение по вертикальным поясам и хозяйственное значение изучены недостаточно, что и определяет актуальность настоящего исследования.

Сборы материала проводились с июня по август 2018-2019 гг. в различных биотопах ГНПП «Көлсай көлдері». Полевые работы проводились в ущ. Курмети, Саты, Карабулак, Кок-Жазық, Сары-Ная, Кайынды, Талды, Жаманбулақ, Курмети, оз. Колсай, изучался видовой состав полужестокрылых насекомых.

В результате проведенных исследований в ГНПП «Көлсай көлдері» нами было отмечено 26 видов полужестокрылых, относящихся к 3 семействам. По пищевым связям из них – 6 видов являются фитофагами: полифаги (4 %), широкие олигофаги (22 %), 1 вид – зоофитофаг (4 %), остальные 16 видов – мицетофаги (70 %). По приуроченности к местам обитания полужестокрылые ГНПП «Көлсай көлдері» подразделяются на несколько групп: дендробионты (15 видов), хортобионты (6 видов), герпетобионты (2 вида). На территории парка по экологическим особенностям все выявленные виды – мезофилы. Для

полужесткокрылых ГНПП «Көлсай көлдері» характерны все известные типы вольтинизма: моновольтинизм (6 видов), бивольтинизм (1 вид), ациклические виды (16 видов).

Ключевые слова: полужесткокрылые, Heteroptera, национальный природный парк «Көлсай көлдері».

Information about the authors:

Akimzhanov Darhan Shoganbekovich, PhD doctorate, Kazakh National Agrarian University, Almaty, Kazakhstan; darhan-14@mail.ru; <http://orcid.org/0000-0002-1365-7250>

Esenbekova Perizat Abdykairovna, leading scientific worker of RSE “Zoology institute” of CS MES RK, Candidate of Biology Science, Almaty, Kazakhstan; esenbekova_periz@mail.ru; <http://orcid.org/0000-0002-5947-8514>

Kenzhegaliev Arnur Miramuly, Kazakh Research Institute of Plant Protection and Quarantine after Zh. Zhiembayev- Junior Researcher, Almaty, Kazakhstan; arnur_1992@mail.ru; <http://orcid.org/0000-0002-0308-222X>

Yelikbayev Bakhytzhan Koshkinbayevich, Kazakh National Agrarian University, Doctor of Biology Science, Professor, Almaty, Kazakhstan; bek29@mail.ru; <http://orcid.org/0000-0002-1262-6524>

REFERENCES

- [1] Kirichenko A.N. Methods for collecting true Hemiptera and studying local faunas. Printhouse of AS of the USSR. M.L., 1957. 124 p.
- [2] Paliy V.F. Methods of studying fauna and phenology of insects. Voronezh, 1970. P. 1-192.
- [3] Fasulati K.K. Field study of terrestrial invertebrates // VSh. M. 1971. 424 p.
- [4] Kerzhner I.M., Yachevsky T.L. Order Hemiptera (Heteroptera) – true bugs, or bugs // Identifier of insects of the European part of the USSR (edited by G.Ya. Bey-Bienko). Vol. 1. M.L.: Nauka, 1964. P. 655–845.
- [5] Puchkov V.G., Beritidi, red bugs, root bugs and shield bugs. Fauna of Ukraine // Kiev, 1974. Vol. 21. ed. 4. 332 p.
- [6] Vinokurov P.P. Heteroptera of Yakutia. L.: Nauka, 1979. 232 p. ISBN 5-02-005868-8
- [7] Kanyukova E.V. Hemipterans genus *Aradus gruppae betulae* (Heteroptera, Aradidae) fauna of the USSR. // Vestn. zoo. L., 1984. N 4. P. 9-14.
- [8] Sahlberg J.R. Enumeratio Hemipterorum Heteropterorum Faunae Fenniae. Editiosecunda aucta et emendata. Bidrag Kändedom Finlands Nat. Folk. 1920. Vol. 79(2). P. 1-227.
- [9] Heiss E. Nomenklatorische Änderungen und Differenzierung von *Aradus crenatus* Say, 1831, und *Aradus cinnamomeus* Panzer, 1806, aus Europa und USA. (Insecta: Heteroptera, Aradidae). // Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck. – 1980. - Bd. 67. – S. 103-115.
- [10] Heiss E. Über Aradidae von den Kanarischen Inseln und Morokko. // Berichte des Naturwissenschaftlich-Medizinischen Vereins in Innsbruck. 1979. Bd. 66. P. 29-45.
- [11] Kirichenko A.N. (1913) Insects are hemipterans (Insecta, Hemiptera). Fauna of Russia and neighboring countries. St. Petersburg, 6: 1-302.
- [12] Kirichenko A.N. Hemiptera - Heteroptera // Russian Entomological Review. 1914. T. 14. N 2-3. P. 181-202.
- [13] Tamanini L. 1956: Osservazioni biologiche e morfologiche sugli *Aradus betulinus* Fall. A. corticalis L. A. pictus Bär. (Hemiptera, Heteroptera, Aradidae) - Studi Trentini di Scienze Naturali, 33 (1- 3): 3-53.
- [14] Kirichenko A.N. Hemiptera (Hemiptera-Heteroptera) of the Caucasus region // Notes of the Caucasus. Museum: 1918. Series A. N 6. Part I. 177 p.
- [15] Asanova R.B. True Hemiptera (Hemiptera - Heteroptera) of Central Kazakhstan // Materials of 1st sci. conf. of young scientists of the AS of Kazakh SSR. Alma-Ata, 1962. P. 276-277.
- [16] Asanova R.B. Heteroptera of South-East Kazakhstan // Digest “Fauna and Biology of Kazakhstan Insects”. Alma-Ata: “Science”, 1971. P. 121-135.

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518–1629 (Online), ISSN 2224–5308 (Print)

<http://biological-medical.kz/index.php/en/>

Редакторы: М. С. Ахметова, Г. Б. Халидуллаева, Д. С. Аленов

Верстка на компьютере Д. А. Абдрахимовой

Подписано в печать 02.04.2020.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.

5,5 п.л. Тираж 300. Заказ 2.